

# Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

#### Product Name or Number (as it appears on label): CHEWING GUM REMOVER (AEROSOL) Product Number: 6445

Product Division: Janitorial

Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990 Medical Emergency: 1-(888)-314-6171 (24 hours) Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Petroleum Gas, Liquefied, UN1075

NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: 1- Slight
Fire: 4 - Extreme	Fire: 4 - Extreme
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

## SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m <sup>³</sup>	STEL mg/m <sup>³</sup>	CEILING mg/m <sup>³</sup>	NTP, IARC or OSHA Carcinogen
Propane n-Butane	10-20 80-90	74-98-6 106-97-8	1800 (OSHA) 2380 (ACGIH)	Not Established Not Established	Not Established Not Established	No No

#### SECTION III: PHYSICAL DATA

Boiling Point: Unknown °F	Vapor Pressure: 175 <u>+</u> 3 @130° F
Vapor Density (AIR = 1): Not determined	Solubility in Water: Negligible
pH: Not applicable	Specific Gravity ( $H_2O=1$ ): < 1.0
Evaporation Rate (but.ace.=1): >1	Percent Solid by Weight: 0
Physical State: gas	
Appearance & Odor: Clear odorless gas	

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: < 0°F		Method Used: Estimate		
	Explosive Limits: LEL: 1.8% / UEL: 9.5%	Flame Extension:	> 18 inches NFPA 30B Storage level Level 3 Aerosol. Consult the local Fire Marshal and insurance representatives for specific storage requirements for your location.	
Extinguishing Media:	Dry chemical, CO <sub>2</sub> , water fog			
Special Fire Fighting Procedures:	Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to fire or extreme heat. Use equipment or shielding as required to protect personnel from bursting rupturing or venting containers. Wear a full face positive pressure self contained breathing apparatus when fighting fires.			
	Extremely flammable. Material is high ground or move by ventilation and be heaters, smoking, electric motors or s	ignited by ignition sources such	as pilot lights, other flames, sparks,	

#### SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not established Primary Routes of Entry: Inhalation, Skin Contact			
	Harmful if inhaled. This product concentrations. Can cause shortness	d in eyes, on skin or mucus membranes. is an asphyxiate and may exhibit anesthetic properties at high s of breath, dizziness and nausea. Intentional misuse by deliberately nts can be harmful or fatal. Prolonged exposure above the OSHA		
	permissible exposure limit may result	in kidney and liver damage.		
Conditions Aggravated by Use:	Use of this product may aggravate product	eexisting skin; eye and respiratory disorders including asthma and		
	dermatitis.			
Emergency & First Aid Procedures:				
Eyes:	Flush eyes with water for at least 15 r burns.	ninutes. Remove contact lenses. Get medical attention for freeze		
Skin:	Wash skin gently with lukewarm wate irritation persists.	er. Get medical attention for freeze burns. Get medical attention if		
Ingestion:	Get immediate medical attention.			
Inhalation:	Move person to fresh air. If breathing artificial respiration. Get medical atte	is difficult; administer oxygen. If breathing has stopped; give ntion.		

#### SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Avoid contact with strong oxidizing agents and oxygen.
Hazardous Decomposition Products: Not known	Hazardous Polymerization: Will Not Occur

#### SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	
Material is Released or Spilled:	Extremely flammable. Remove all sources of ignition and ventilate area.
Waste Disposal Method:	Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container according to Federal, State and local regulations.

#### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure limits (see Sec II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.		
Ventilation:	Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.		
Protective Gloves(Specify Type):	Rubber or other impervious gloves.		
Eye Protection(Specify Type):	Splash goggles.		
Other Protective Equipment:	See 29 CFR 1910.132-138 for further reference.		

#### SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Extremely flammable. Do not store in direct sunlight; near open flames or at temperatures exceeding 120°F. Overheating can cause cans to explode. Do not smoke while spraying. Do not use where source of ignition is present. Intentional misuse by deliberately concentrating vapors and inhaling contents can be harmful or fatal. Consult the local Fire Marshal and insurance representatives for specific storage requirements for your location.			
Other Precautions:	Spray only in well ventilated areas. Do not use in a confined area or where there is a possibility of vapor			
	build-up. Keep out of reach of children.			
© SCC 03/10/2009	Name: Effective Date:	Ronald T. Cook 03/10/2009	Title: Supercedes:	Manager, Regulatory Affairs 09/22/2006
CHEWING GUM REMOVER (AEROSOL) Ref: 29 CFR 1910.1200 (OSHA)	Changes:	Revised formula	Supercedes.	09/22/2006

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.